Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 - 13. (Canceled)

14. (Previously presented): A plasma display panel comprising: 1 2 a first substrate on which a first electrode is formed; 3 a second substrate on which a second electrode facing said first substrate is 4 formed; 5 a barrier plate having a metal electrode and disposed between said first substrate 6 and said second substrate; and 7 a cell defined as a region of space bounded by said first substrate, said second 8 substrate, and said barrier plate, 9 said metal electrode having a projection that is only a portion of said metal 10 electrode which projects into said region of space in a plane approximately parallel to a plane of 11 said plasma display panel. 1 15. (Previously presented): The plasma display panel claimed in claim 14, 2 wherein said projection of said metal electrode is formed at a position where said metal electrode 3 overlies said first electrode. 1 16. (Previously presented): The plasma display panel claimed in claim 14, 2 wherein said metal electrode has another projection which projects into said cell, said projections being formed at opposing surfaces of said barrier plate which form sides of said cell, said 3 4 projections thereby being in opposed relation to each other.

1	17. (Previously presented): The plasma display panel claimed in claim 14,
2	wherein said metal electrode comprises a plurality of layers, at least a first layer of said metal
3	electrode having a projection or a concave at a position where said metal electrode crosses over
4	said first electrode.
1	18. (Previously presented): A plasma display panel comprising;
2	a first substrate;
3	a second substrate in facing relation to said first substrate;
	-
4	a barrier plate disposed between said first substrate and said second substrate and
5	having a metal electrode; and
6	a cell defined by said first substrate and said second substrate and said barrier
7	plate,
8	said first substrate comprising an address electrode, a first dielectric layer formed
9	on said address electrode, a first electrode formed on said first dielectric layer such that said first
10	electrode crosses over said address electrode,
11	said second substrate comprising a second electrode,
12	said metal electrode having a projecting portion at a position where said metal
13	electrode crosses over said first electrode, said projection being directed toward said cell in a
14	plane approximately parallel to said plasma display panel.
1	19. (Previously presented): The plasma display panel claimed in claim 18,
2	wherein said projecting portion is formed at a position where said metal electrode overlaps flat
3	with said first electrode.
1	20. (Previously presented): The plasma display panel claimed in claim 18,
2	wherein said metal electrode has additional projecting portions, said additional projecting
3	portions being formed at opposing surfaces of said barrier plate which form sides of said cell,
4	thereby being in opposed relation to each other.

21. 1 (Previously presented): The plasma display panel claimed in claim 19, 2 wherein said metal electrode comprises a plurality of layers, at least a layer of said metal 3 electrode located near said first electrode has a projecting portion at a position where said metal 4 electrode crosses over said first electrode. 22 - 28. (Canceled) (Previously presented): A plasma display panel comprising: 29. 1 2 a front substrate; 3 a back substrate; and 4 a barrier plate which is formed between said front substrate and said back 5 substrate, said barrier plate configured with a plurality of cells, 6 said back substrate comprising a back glass substrate, an address electrode, an X 7 electrode, and a Y electrode formed thereon, said X electrode and said Y electrode overlying and 8 in crossed relation to said address electrode, 9 said barrier plate comprising a metal electrode having a first projection part which 10 projects into said cell in a plane that is approximately parallel to said display panel and at the 11 position where said metal electrode crosses over said X electrode and a second projection part 12 which projects into said cell in a plane that is approximately parallel to said display panel and at 13 the position where said metal electrode crosses over said Y electrode. 1 30. (Previously presented): The plasma display panel claimed inn claim 29, 2 wherein said barrier plate further comprises segment formed between said X electrode and said 3 Y electrode in a manner to define a reversed U-shaped discharge passage between said X 4 electrode and said Y electrode. 1 31. (Previously presented): The plasma display panel claimed in claim 29, 2 wherein said X electrode and said Y electrode are formed alternately and said metal electrode 3 further comprises a segment formed between said X electrode and said Y electrode.

I	32. (Previously presented): A plasma display panel comprising:
2	a first substrate on which a first electrode is formed;
3	a second substrate on which a second electrode that facing said first substrate is
4	formed;
5	a barrier plate having a metal electrode formed between said first substrate and
6	said second substrate; and
7	a cell bounded by said first substrate, said second substrate, and said barrier plate,
8	wherein said metal electrode has a concave portion that projects away from said
9	cell in a plane parallel to a plane of said panel.
. 1	33. (Previously presented): A plasma display panel comprising:
2	a first substrate;
3	a second substrate facing said first substrate;
4	a barrier plate having a metal electrode formed between said first substrate an said
5	second substrate; and
6	a cell formed among said first substrate, said second substrate, and said barrier
7	plate,
8	wherein said first substrate has an address electrode, a first dielectric layer formed
9	on said address electrode, a first electrode formed on said first dielectric layer so that said first
10	electrode crosses over said address electrode, and said second substrate has a second electrode,
11	wherein said metal electrode has a concave portion which projects in a direction
12	away from said cell and in a plane approximately parallel to a plane of said plasma display panel
13	at a position where said metal electrode crosses over said first electrode.

1	34. (Currently amended): A plasma display panel comprising:
2	a front substrate;
3	a back substrate; and
4	a barrier plate which is formed between said front substrate and said back
5	substrate to form a plurality of cells,
6	wherein said front substrate has a front glass substrate having formed thereon an
7	X electrode,
8	wherein said back substrate has a back glass substrate having formed thereon an
9	address electrode and a Y electrode,
10	said barrier plate having a metal electrode having a concave portion that projects
11	opposite to said cells and in a plane approximately parallel to said plasma display panel at a
12	position where said metal electrode crosses over said Y electrode.
1	35. (Previously presented): A plasma display panel comprising:
2	a first substrate;
3	a second substrate facing said first substrate; and
4	a barrier plate having a metal electrode formed between said first substrate and
5	said second substrate; and
6	a cell formed among said first substrate, said second substrate, and said barrier
7	plate,
8	wherein said first substrate has an address electrode, a first dielectric layer formed
9	on said address electrode, a first electrode and a second electrode formed on said first dielectric
10	layer so that said first electrode and said second electrode intersect with said address electrode,
11	wherein said metal electrode has a concave portion which projects in a direction
12	away from said cell and in a plane approximately parallel to a plane of said plasma display panel
13	at a position where said metal electrode crosses over at least one of said first electrode and said
14	second electrode.

1	36. (Previously presented): A plasma display panel comprising:
2	a front substrate;
3	a back substrate; and
4	a barrier plate which is formed between said front substrate and said back
5	substrate to form a plurality of cells,
6	wherein said back substrate has a back glass substrate having formed thereon an
7	address electrode, an X electrode and a Y electrode, said X and Y electrodes intersecting said
8	address electrode,
9	wherein said barrier plate has a metal electrode, said metal electrode has a first
10	concave portion which projects in a direction away from said cell and in a plane approximately
11	parallel to a plane of said plasma display panel at a position where said metal electrode crosses
12	over said X electrode, and a second concave portion which projects in a direction opposite said
13	cell and in a plane approximately parallel to a plane of said plasma display panel at a position
14	where metal electrode crosses over said Y electrode.